

**VERSION WITH MARKINGS TO SHOW CHANGES MADE****Attorney Docket No. 1935-00082****In the specification:**

Please add the following paragraph at page 1, between the title and the first line of text as follows:

**CROSS REFERENCE TO RELATED APPLICATION**

The present application is the U.S. national stage application of International Application PCT/NO99/00366, filed December 6, 1999, which international application was published on June 29, 2000 as International Publication WO 00/37769 in the English language.

**SUMMARY OF THE INVENTION**

Before the paragraph beginning at line 1 of page 3 insert the following:

**BRIEF DESCRIPTION OF THE INVENTION**

Before the paragraph beginning at line 1 of page 4 insert the following:

**BRIEF DESCRIPTION OF THE DRAWING**

Before the paragraph beginning at line 27 of page 5 insert the following:

**DETAILED DESCRIPTION OF THE INVENTION****In the claims:**

Claim 6 has been amended as follows:

6. (amended) A device according to claim 1 ~~any one of the preceding claims~~, characterized in that the sleeve element (4) is formed with at least one passage (18) to the chamber (12; 34), which is to accommodate the well fluid.

Claim 7 has been amended as follows:

7. (amended) A device according to claim 1~~any one of the preceding~~  
~~claims~~, characterized in that the releasable and displaceable housing element (7), or the fixed  
housing element (30), is provided with means (19, 20) for transferring hardenable sealing  
substance to the annular chamber (9), when the releasable and displaceable housing element  
5 (7) or the annular piston (31), is displaced along the housing element (4), and an associated  
valve unit (21).

Claim 9 has been amended as follows:

9. (amended) A device according to claim 1~~any one of the preceding~~  
~~claims~~, characterized in that the packer element (8) by the intermediate fixed housing  
element (6) is connected to a packer sleeve element (26) which is releasably and glidably  
arranged between the housing element (4) and said fixed housing element (6).

Claim 10 has been amended as follows:

10. (amended) A device according to claim 1~~any one of the preceding~~  
~~claims~~, characterized in that the fixed housing element (50, 51) the most distant from the  
releasable and displaceable housing element (7), or the fixed housing element (30) with the  
annular piston (31), is formed of a lower housing element (50) fixedly arranged on the  
5 sleeve element (4), and an upper housing sleeve element (51) which is releasably and  
slidably arranged externally on the lower housing element (50).

Claim 13 has been amended as follows:

13. (amended) A device according to claim 1~~any one of the preceding~~  
~~claims~~, characterized in that the tool has an accumulator (23, 24; 52) arranged thereto, said  
accumulator (23, 24; 52) being charged by means of the hardenable sealing substance which  
is transferred to the annular chamber (9) to inflate the packer element (8).

Claim 15 has been amended as follows:

15. (amended) A device according to claim 1~~any one of the preceding~~  
~~claims~~, characterized in that the tool has at least one mixing pipe (27) arranged thereto, for

the hardenable sealing substance which is transferred from the releasable and displaceable housing element (7), or the fixed housing element (30) with the annular piston (31).